tallita LIGOE CZ440 Datailad D :::: . 1

Iodel Name: U305-S7449	Part Number: F	PSU30U-03002L	ιι	JPC: 032017981324	
Operating System ^{C1 2} • Genuine Windows Vista [®] Home Premium (32-b		Physical Desc	ription	2.2" x 8.94" x 1.34" /1.33" withc	
Processor and Chipset ³	,	feet	,		
 Intel® Pentium® dual-core processor T2310 0 1.46GHz, 1MB L2, 533MHz FSB 		 Weight: Starting at 4.54 lbs depending upon configuration¹¹ LCD Cover Color: Onyx Blue Metallic 			
Mobile Intel® GL960 Express Chipset		Power			
Memory ^₄				240V/50-60Hz AC Adapter.	
 Configured with 2048MB PC2-5300 DDR2 SDRAM (both memory slots may be occupied). Maximum capacity 2048MB 		 Dimensions (WxDxH): 5.0" x 2.0" x 1.2" Weight: starting at 0.77 lbs 			
Hard Disk Drive ⁵		Battery ¹²			
160GB (5400 RPM) Serial ATA hard disk drive	5200mAh Lithium Ion battery pack				
Fixed Optical Disk Drive ⁶	Software ^{C1 13}				
 DVD SuperMulti (+/-R double layer) drive supp 	Toshiba Software and Utilities				
 Maximum speed and compatibility: CD-ROM (24x), CD-R (24x), 		 TOSHIBA Value Added Package Electronic User's Guide 			
CD-RW (16x), DVD-ROM (8x), DVD-R		 TOSHIBA C 			
DVD-R (Double Layer, (4x)), DVD-RW (6x), DVD+R (Single Layer, (8x)), DVD+R (Double Layer, (4x)), DVD+RW (8x), DVD- RAM (5x)		 TOSHIBA Disc Čreator 			
		 TOSHIBA D 			
_ ```			xtended Tiles for Wind	dows Mobility Center	
Display ⁷	diaplay at 1290 x 900	 TOSHIBA S Third-party Softward 			
 13.3" diagonal widescreen TruBrite®TFT LCD display at 1280 x 800 native resolution(WXGA) 			 TOSHIBA Game Console 		
Graphics ⁸		 Microsoft Works Version 8.5 			
Intel® Graphics Media Accelerator X3100 with 64MB-251MB		 Sun® Java[™] 2 Runtime Environment 			
dynamically allocated shared graphics memory		 Adobe® Acrobat® Reader 8.0 InterVideo®WinDVD® 8 			
Sound		 o InterVideo® o Google™ De 			
Built-in stereo speakers		o Google™ Toolbar			
 Sound Volume Control Dial 		 Google Picasa™ 			
Built-in microphone		 Yahoo! Music[™] Jukebox 			
Input Devices			MovieFactory® 5 for	r TOSHIBA	
 85 key US keyboard 		Trial Software			
 TouchPad[™] pointing device 		 Microsoft Office Trial Home and Student 2007 Edition (60-day trial) McAfee® Internet Security Suite (30-day trial) 			
 TouchPad[™] Enable/Disable 		 McAfee® Internet Security Suite (30-day trial) Special Offers 			
Control Buttons:		 Microsoft Office Live 			
 Internet button to launch default browser CD/DVD control buttons (Play/Pause St 			 Shutterfly digital photo service 		
 CD/DVD control buttons (Play/Pause, Stop, Prev Track, Next Track) 		 Napster® music subscription service 			
Communications		o emusic mP3 o VONGO ^{s™} ir	music subscription s ternet video downloa	ervice	
Webcam and microphone built into LCD bezel		o ebay®		u service	
 Modem⁹ 		 CNN Pipelin 	e		
• 10/100 Ethernet		 Skype[™] intermediate 	ernet communications		
 Integrated Wi-Fi® compliant wireless:¹⁰ 		Environment	al Specification	S	
 Atheros® 802.11b/g wireless-LAN 			Operating	Non-operating	
Expandability		Temperature ¹⁴	5° to 35° C	-20° to 60° C	
• 2 main memory slots. Both slots may be occup			(41° to 95° F)	(-4° to 149° F)	
 ExpressCard[™] slot (ExpressCard/34 and Expr 5-in-1 Bridge Media Adapter 	essCard/54)	Thermal Gradient	18° C per hour (m		
 5-In-1 Bridge Media Adapter Secure Digital, Memory Stick™, Memory 	Stick PRO™ Multi	Relative Humidity	20% to 80%	10% to 90%	
Media Card, xD Picture Card [shared sl		(non-condensing) Altitude	0 to 3,000 meters	0 to 10 000 motors	
Ports	-	(relative to sea level)		0 to 10,000 meters	
Video		Shock	10G	60G	
 RGB (monitor) output port 		Vibration	0.5G	1.0G	
Audio		 This product is Re 	oHS ¹⁵ compatible		
 Microphone input port Headphone output port 		1 YEAR STANDA	RD LIMITED WA	ARRANTY ¹⁶	
 Headphone output port Data 		Service Upgrades an	d Extensions		
• Jata • i.LINK(tm) IEEE-1394				vices such as SystemGuard®	
 USB v2.0 – 3 ports 				vide additional support to your	
 RJ-45 LAN port 		notebook PC. For a full description and complete list of programs and			

- o RJ-45 LAN port
- o RJ-11 modem port
- © Copyright 2007 2008 Toshiba America Information Systems Inc. All Rights reserved. TAIS shall not be liable for damages of any kind for use of this information, which is subject to change without notice. Satellite U305-S7449 Rev. 1.30 2007-10-02 DM T20070803 CB1.10

program terms and conditions, please visit www.pcsupport.toshiba.com.

TOSHIBA

Recommended Services Extended Service Plan		WSN-PEQN2V WSN-PEQN3V	1st/2nd Year + Extended Service Plan 1st/2nd/3rd Year + Extended Service Plan		
	nded service plan for up to 4 total years from the original				
notebook purchas		Accessories			
Part Number	Description	Accessories			
WSN-PEQQ2V	2nd Year Extended Service Plan	For additional and most updated accessories, please visit			
WSN-PEQQ3V	2nd/3rd Year Extended Service Plan	www.accessories.toshiba.com			
WSN-PEQQ4V	2nd/3rd/4th Year Extended Service Plan				
		Memory Upgrade			
SystemGuard Accidental Damage Service w/ ServiceExpress ¹⁷		Part Number Description			
	ed protection from damage caused from handling. Select	PA3512U-1M1G	Toshiba 1GB DDR2-667 Memory Module		
	air service with either Depot Express or Carry-In Express	PA3513U-1M2G	Toshiba 2GB DDR2-667 Memory Module		
	t of the line. Extended Service Plan included except with 1		,		
Year plan. SystemGuard coverage must be purchased within the first 30		Power			
days of notebook	purchase.	Part Number Des	Part Number Description		
Part Number	Description	PA3468U-1ACA	Toshiba 75W Global AC Adapter		
WSN-PSGP1V	1st Year	PA3594U-1BRS	Toshiba Primary Li Ion Battery Pack (6 cell)		
WSN-PEGP2V	1st/2nd Year + Extended Service Plan	PA3595U-1BRS	Toshiba Primary Li Ion Battery Pack (9 cell)		
WSN-PEGP3V	1st/2nd/3rd Year + Extended Service Plan				
	40		Expansion		
SystemGuard Accidental Damage Service + On-Site Repair ¹⁸		Part Number Description			
	nGuard and Business On-Site Repair coverage. Extended	PA3541U-2PRP	dynadock USB Docking Station with video port (VGA)		
	Ided except with 1 Year plan. SystemGuard coverage	PA3542U-2PRP	dynadock USB Docking Station with video port (DVI)		
	ed within the first 30 days of notebook purchase.	PA3579U-1ETC	Toshiba Universal Notebook/Projector Stand		
Part Number	Description				
WSN-PSGN1V	1st Year	Wireless/Bluetooth			
WSN-PEGN2V	1st/2nd Year + Extended Service Plan	Part Number Description			
WSN-PEGN3V	1st/2nd/3rd Year + Extended Service Plan	PA3624U-1BTM	Toshiba USB Adapter with Bluetooth 2.0+EDR		
Com.:loo E		capability PA3573U-1ETA	Techika Divetesth Ontical Tilt Wheel Meyes		
ServiceExpress	ss repair service with either Depot Express or Carry-In		Toshiba Bluetooth Optical Tilt-Wheel Mouse		
		(Black/Silver) PA3573U-1ETB	Toshiba Bluetooth Optical Tilt-Wheel Mouse		
Express. Depot Express: Your notebook will be repaired and returned via overnight shipment (excluding weekends and holidays). Carry-In Express:		(Black/Red)	Toshiba Bidelooth Optical The Wheel Mouse		
	ok into a Premier ASP and go to the front of the line for	(Diack/iteu)			
	service. Extended Service Plan included except with 1	Security & Prote	ction		
Year plan.		Part Number Description			
Part Number	Description	PA3610U-1ETC	Toshiba Keyboard Protector - Extended KB - 12"-13.3"		
WSN-PSQP1V	1st Year	NBs (B5 size)			
WSN-PEQP2V	1st/2nd Year + Extended Service Plan	PA410U	Targus DEFCON CL Cable Lock		
WSN-PEQP3V	1st/2nd/3rd Year + Extended Service Plan				
		Storage			
On-Site Repair Service		Part Number Des	Part Number Description		
	On-site service will be provided at the customer's home or business location		Toshiba USB Floppy Disk Drive Kit		
(excluding weekends and holidays) to perform the necessary hardware		PA3556U-1M1G	Toshiba 1GB USB Hi-Speed Flash Drive, Ready Boost		
	Service Plan included except with 1 Year plan.	PA3556U-1M2G	Toshiba 2GB USB Hi-Speed Flash Drive, Ready Boost		
Part Number	Description	PA3556U-1M4G	Toshiba 4GB USB Hi-Speed Flash Drive		

Subject to Change

While Toshiba has made every effort at the time of publication to ensure the accuracy of the information provided herein, product specifications, configurations, prices, system/component/options availability are all subject to change without notice. For the most up-to-date product information about your computer, or to stay current with the various computer software or hardware options, visit Toshiba's Web site at http://www.pcsupport.toshiba.com

Toshiba 4GB USB Hi-Speed Flash Drive

Return Policy

WSN-PSQN1V

Notwithstanding anything to the contrary in any third party License Agreement or product documentation supplied with your PC, Toshiba America Information Systems, Inc. ("TAIS") does not accept the return of component parts, or bundled software, that have been removed from the PC system. Pro-rata refunds on individual PC components or bundled software, including the operating system, will not be granted. If you wish to return a complete PC system, contact the TAIS dealer where you purchased the product, and comply with the dealer's standard return policies and procedures.

Toshiba America Information Systems, Incorporated ("TAIS") 9740 Irvine Boulevard Irvine CA 92618 ToshibaDirect website: http://www.toshibadirect.com TAIS website for resellers: http://sell.toshiba.com TAIS PC Support website: http://pcsupport.toshiba.com

Description

1st Year

Qosmio, Satellite, Portégé, Tecra, SelectBay, ConfigFree, SystemGuard, EasyGuard are registered trademarks of Toshiba America Information Systems, Inc. and/or Toshiba Corporation. All other products and names mentioned are the property of their respective owners.

C164-bit computing:

TOSHIBA

64-bit computing requires that the following hardware and software requirements are met:

- 64-bit Operating System
- 64-bit CPU, Chipset and BIOS (Basic Input/Output System)
- 64-bit Device drivers
- 64-bit applications

Certain device drivers and/or applications may not be compatible with a 64-bit CPU and therefore may not function properly. A 32-bit version of the operating system is preinstalled on your computer unless explicitly stated that the operating system is 64-bit. See "Detailed Specs" for more information.

Product Series Legal Footnote. The product specifications and configuration information are designed for a product Series. Your particular model may not have all the features and specifications listed or illustrated. For more detailed information about the features and specifications on your particular model, please visit Toshiba's Web site at pcsupport.toshiba.com.

Product Offering Legal Footnote. Toshiba America Information Systems, Inc. reserves the right to modify or withdraw this offer at anytime without notice

² Operating System.

Also see 64-Bit Computing Legal Footnote, if applicable.

Certain Microsoft® software product(s) included with this computer may use technological measures for copy protection. IN SUCH EVENT, YOU WILL NOT BE ABLE TO USE THE PRODUCT IF YOU DO NOT FULLY COMPLY WITH THE PRODUCT ACTIVATION PROCEDURES. Product activation procedures and Microsoft's privacy policy will be detailed during initial launch of the product, or upon certain reinstallations of the software product(s) or reconfigurations of the computer, and may be completed by Internet or telephone (toll charges may apply)

Some software may differ from its retail version (if available), and may not include user manuals or all program functionality.

Offers. Offer terms, duration and product availability all subject to change without notice

³ Processor (Central Processing Unit).

Also see 64-Bit Computing Legal Footnote, if applicable.

CPU performance in your computer product may vary from specifications under the following conditions:

- use of certain external peripheral products 1
- 2 use of battery power instead of AC power
- 3. use of certain multimedia, computer generated graphics or video applications
- use of standard telephone lines or low speed network connections 4. 5.
- use of complex modeling software, such as high end computer aided design applications
- use of several applications or functionalities simultaneously 6.
 - use of computer in areas with low air pressure (high altitude >1,000 meters or >3,280 feet above sea level)

7. use of computer at temperatures outside the range of 5°C to 30°C (41°F to 86° F) or >25°C (77°F) at high altitude (all temperature references are 8

approximate and may vary depending on the specific computer model - please visit the Toshiba website at www.pcsupport.toshiba.com for details).

CPU performance may also vary from specifications due to design configuration.

Under some conditions, your computer product may automatically shut-down. This is a normal protective feature designed to reduce the risk of lost data or damage to the product when used outside recommended conditions. To avoid risk of lost data, always make back-up copies of data by periodically storing it on an external storage medium. Use your computer product only under recommended conditions. Read additional restrictions under "Environmental Conditions" in your product "Detailed Specs." Contact Toshiba Technical Service and Support for more information.

Memory (Main System). Part of the main system memory may be used by the graphics system for graphics performance and therefore reduce the amount of main system memory available for other computing activities. The amount of main system memory allocated to support graphics may vary depending on the graphics system, applications utilized, system memory size and other factors. For PC's configured with 4 GB of system memory, the full system memory space for computing activities will be considerably less and will vary by model and system configuration.

1 Gigabyte (GB) means $10^9 = 1,000,000,000$ bytes using powers of 10. The computer operating system, however, reports storage capacity using powers of 2 for the definition of 1 GB = $2^{30} = 1,073,741,824$ bytes, and therefore shows less storage capacity. Available storage capacity will also be storage capacity will also be storage capacity. = 1,073,741,824 bytes, and therefore shows less storage capacity. Available storage capacity will also be less if the product includes one or more pre-installed operating systems, such as Microsoft Operating System and/or pre-installed software applications, or media content. Actual formatted capacity may vary.

⁶ Optical Drive. Due to manufacturing and quality variations in third party optical media (e.g., CD or DVD) or optical media players/recorders, in certain cases, your Toshiba optical drive may not record on certain optical media that bear the applicable logo, or playback optical media recorded by other PCs or optical media recorders. Additionally, certain optical media recorded on your optical drive may not playback or operate properly on other PCs or optical media players. These problems are not due to any defect in your Toshiba PC or optical drive. Please refer to your PC's product specification for listing of specific format compatibilities

Recording or viewing of certain optical media may be limited or prevented in accordance with applicable copy protection standards.

⁷ Display. Small bright dots may appear on your screen display when you turn on your PC. Your display contains an extremely large number of thin-film transistors (TFT) and is manufactured using high-precision technology. Any small bright dots that may appear on your display are an intrinsic characteristic of the TFT manufacturing technology. Over a period of time, and depending on the usage of the computer, the brightness of the screen will deteriorate. This is also an intrinsic characteristic of the screen technology. When the computer is operated on battery power, the screen with dim and you may not be able to increase the brightness of the screen while on battery power.

⁸ Graphics (Graphics Processing Unit).

GPU performance may vary depending on product model, design configuration, applications, power management settings and features utilized. GPU performance is only optimized when operating in AC power mode and may decrease considerably when operating in battery power mode.

Total Available Graphics Memory is the total of, as applicable, Dedicated Video Memory, System Video Memory and Shared System Memory. Shared System Memory will vary depending on system memory size and other factors.

⁹ <u>Modem Speed</u>. Due to FCC limitations, speeds of 53 kbps are the maximum permissible transmission rates during download. Actual data transmission speeds will vary depending on line conditions.

¹⁰ <u>Wireless</u>. Wireless connectivity and some features may require you to purchase additional software, external hardware or services. Availability of public wireless LAN access points may be limited. The transmission speed over the wireless LAN and the distance over which wireless LAN can reach may vary depending on surrounding electromagnetic environment, obstacles, access point design and configuration, and client design and software/hardware configurations. The actual transmission speed will be lower than the theoretical maximum speed. To use the Atheros SuperAGTM or SuperGTM wireless function, if available, your client and access point must support the corresponding feature. Performance of these functions may vary depending on the format of data transmitted.

¹¹ Weight. Weight may vary depending on product configuration, vendor components, manufacturing variability and options selected.

¹² Battery Life. Battery life may vary considerably from specifications depending on product model, configuration, applications, power management settings and features utilized, as well as the natural performance variations produced by the design of individual components. Published battery life numbers are achieved on select models and configurations tested by Toshiba at the time of publication. See "Detailed Specs" for specific battery measurement test. Recharge time varies depending on usage. Battery may not charge while computer is consuming full power. After a period of time, the battery will lose its ability to perform at maximum capacity and will need to be replaced. This is normal for all batteries. To purchase a new battery pack, see the accessories information that shipped with your computer or visit the Toshiba web site at <u>www.accessories.toshiba.com</u>.

¹³ Software. Some software may differ from its retail version (if available), and may not include user manuals or all program functionality.

Certain Microsoft® software products (including Microsoft Office Small Business Accounting if applicable) included with this computer may use technological measures for copy protection. IN SUCH EVENT, YOU WILL NOT BE ABLE TO USE THE PRODUCT IF YOU DO NOT FULLY COMPLY WITH THE PRODUCT ACTIVATION PROCEDURES. Product activation procedures and Microsoft's privacy policy will be detailed during initial launch of the product, or upon certain reinstallations of the software products or reconfigurations of the computer, and may be completed by Internet or telephone (toll charges may apply).

Internet access is required to enable certain functionality of certain Microsoft products (including Microsoft Office Small Business Accounting 2006) which may be included with this computer.

The Microsoft Office 2007 60-Day Trial software (if applicable) is intended for evaluation purposes only. You must activate the software before you can use it. Product activation procedures will be detailed during initial launch of the software; activation requires Internet access. This software has an expiration date of 60 days from date of first use, at which time the software will operate under reduced-functionality mode, limiting end-user options and operations. The Microsoft Office 2007 60-Day Trial software is distributed without charge to the End User Customer but if the End User wants to continue to use such product after the trial period, then the End User Customer will have to pay a fee for the perpetual version of such Office Product.

For systems with Microsoft Money Essentials 2007 installed, note that some online services for Microsoft® Money 2007 and Microsoft® Money 2007 Essentials will expire on the earlier of two years after your activation of the software or September 1, 2009. Also, you may need to get some online services separately from your financial institution, which may charge a fee. See the online services policy at http://money.msn.com/Money/2007/OSP.asp.

¹⁴ <u>Temperature (Environmental) Conditions</u>. All temperature references are approximate and the performance of your computer may vary from specifications even when operating within the recommended temperature range.

¹⁵ RoHS. This notebook is compatible with European Union Directive 2002/95/EC, Restriction of the use of certain Hazardous Substances in electrical and electronic equipment (RoHS), which restricts use of lead, cadmium, mercury, hexavalent chromium, PBB, and PBDE. Toshiba requires its notebook component suppliers to meet RoHS requirements and verifies its suppliers' commitment to meeting RoHS requirements by conducting component sampling inspections during the product design approval process.

¹⁶ Warranty: The terms and conditions of Toshiba's standard limited warranty are available at www.warranty.toshiba.com.

¹⁷ Service Plans: The terms and conditions of service upgrade and extension plans offered by Toshiba are available at <u>www.pcsupport.toshiba.com</u>.

¹⁸ Service Plans: The terms and conditions of service upgrade and extension plans offered by Toshiba are available at <u>www.pcsupport.toshiba.com</u>